

NAME INDEX



A

- ABRAHAM, B., and LEDOLTER, J., 53, 73
 ADAMS, D., 254_n
 AGRESTI, A., 164_n
 AGRESTI, A., and AGRESTI, B. F., 204-237
 AGRESTI, B. F., 210, 235
 ALLEN, M. P., 101, 102, 114
 ALLISON, P. D., 238-253, 254_n, 268, 271
 ALMON, S., 47, 49
 ALONSO, W., 10, 14, 18
 ALTHAUSER, R., 254_n
 ALWIN, D. F., and JENSEN, E. L., 189, 202
 AMEMIYA, E. C., 205, 208, 236
 AMOS, L., 75_n
 ANDERSON, T. W., 164_n, 266, 272
 ARBOUS, A. G., and KERRICH, J. E., 241, 243, 252
 ARROW, K. J., 92, 98
 ARTHUR, W. B., 1_n
 ARTHUR, W. B., and MCNICOLL, G., 10-14, 18
 ATKINSON, J. W., 255, 272

B

- BALINSKI, M., 1_n
 BARLOW, R. E., and others, 149, 158, 162
 BARNETT, H., 1_n
 BECKER, G. S., 76, 77-78, 90-93, 98
 BENASSY, J. P., 89_n, 98
 BEWLEY, T., 75_n
 BHARGAVA, T. N., and DOYLE, P. H., 207, 236
 BHARGAVA, T. N., and UPPULURI, V. R. R., 207
 BODE, N., 185_n
 BOHRNSTEDT, G. W., and CARTER, T. M., 166, 168, 183
 BOHRNSTEDT, G. W., and GOLDBERGER, A. S., 255, 257, 266, 268, 272
 BOHRNSTEDT, G. W., and MARWELL, G., 254-273
 BONACICH, P., 101-115
 BOORMAN, S. A., 76-77, 99
 BOORMAN, S. A., and WHITE, H. C., 93, 95, 99

- BOX, G. E. P., and JENKINS, G. M., 21-48, 49
 BREIGER, R., 109-111, 114
 BREIGER, R., and others, 109, 112, 115
 BREIGER, R. L., 75*n*
 BROWN, R. G., 45, 47, 49
 BROWNLEE, K. A., 167*n*, 175, 183
 BRUCKMANN, G., 1*n*
 BRUNK, H. D., 149, 162

C

- CARREL, K. S., POTTS, C. A., and CAMPBELL, E. A., 186, 202
 CARTWRIGHT, D., and HARARY, F., 93, 99
 CHIANG, C. L., 241, 252
 CLARRIDGE, B. R., SHEEHY, L. L., and HAUSER, T. S., 185-203
 COCHRANE, D., and ORCUTT, G. H., 47*n*, 50
 COSTNER, H. L., and SCHOENBERG, R., 147, 162
 CRIDER, D. M., WILLITS, F. K., and BEALER, R. C., 186, 202
 CRONBACH, L. J. 271, 272
 CUYPERS, J. G. M., and RADEMAKER, O., 14, 18

D

- DAVIS, J. A., 75*n*, 93, 99
 DAVIS, J. A., HOLLAND, P. W., and LEINHARDT, S., 93
 DAVIS, J. A., and LEINHARDT, S., 93, 99
 DAY, K., 254*n*
 DECKER, R. L., 255, 272
 DIXON, W. J., and MASSEY, F. J., 169, 183
 DOOLEY, P., 102, 115
 DUNCAN, O. D., CUZZORT, R., and DUNCAN, B., 169, 183
 DUNN, C., 254*n*
 DURKHEIM, E., 40, 50

E

- EATON, W. W., JR., 238, 252
 ECKLAND, B. K., 186, 203
 ELASHOFF, R., and ELASHOFF, J., 164*n*

- ERBE, W., 177, 178, 180, 183
 EWEN, R. B., 255, 272

F

- FELD, S. L., 238*n*
 FELLER, W., 242, 249*n*, 252
 FISHER, R. A., 243*n*, 252
 FORRESTER, J. W., 11, 14, 18
 FRISBIE, P., 205, 236

G

- GEURTS, M. D., and IBRAHIM, I. B., 45, 50
 GHEZ, G. R., and BECKER, G. S., 76, 99
 GIBBS, J. P., and MARTIN, W. T., 205, 206, 236
 GINI, C., 206
 GLENN, N. D., 118, 132, 139
 GOLDBERGER, A. S., 52*n*, 73, 238*n*, 254*n*
 GOLDTHORPE, J. H., and others, 255, 272
 GOOD, I. J., 209, 212, 218, 236
 GOODMAN, L. A., 117, 120, 139, 257, 272
 GOODMAN, L. A., and KRUSKAL, W. H., 166*n*, 182, 183, 216, 229, 236
 GRANDJEAN, B. D., 205, 236
 GRANDMONT, J. M., 89*n*, 99
 GRANOVETTER, M. S., 75*n*, 76, 99
 GREEN, J., 75
 GREEN, W. H., 52*n*
 GREENBERG, J. H., 205, 236
 GRIZZLE, J. E., 120, 139
 GRUVAEUS, G. T., and JÖRESKOG, K. G., 62, 73

H

- HAMMOND, J. L., 238, 252
 HANSEN, W. L., 52*n*
 HANSON, D. L., PLEDGER, G., and WRIGHT, F. T., 149, 162
 HARGENS, L. L., and RESKIN, B. F., 244, 252
 HARGENS, L. L., RESKIN, B. F., and ALLISON, P. D., 244, 246, 252
 HARRISON, P. J., 45, 50
 HAUSER, R. M., 185*n*

- HAUSER, R. M., and GOLDBERGER, A. S.,
52, 73, 147, 162
HAUSER, T., 185*n*
HAWKES, R. K., 178, 183
HAYS, W. L., and WINKLER, R. L., 240,
252
HEBERLEIN, T. A., 238*n*
HEIDER, F., 93, 99
HENRY, A. F., and SHORT, F., JR., 40,
50
HENRY, N., 164*n*
HERRERA, A. O., and others, 2-3, 18
HOLGATE, P., 218, 236
HOLLAND, P. W., and LEINHARDT, S.,
93, 96
HOLLING, C. S., 15, 18
HOMANS, G. C., 83, 100, 105, 109, 115
HUNTER, J. E., 96, 100

J

- JÖRESKOG, K. G., 52, 61, 73, 147, 162
JÖRESKOG, K. G., and GOLDBERGER,
A. S., 52, 54, 61, 74
JÖRESKOG, K. G., and VAN THILLO, M.,
61, 62, 74, 251, 252
JOHNSTON, J., 47*n*, 50, 166, 183

K

- KAISER, R., 20*n*
KALLEBERG, A. L., 255, 270, 272
KENDALL, M. G., 48, 50, 164*n*, 178, 183
KENDALL, M. G., and STUART, A., 166,
167, 168, 181, 183
KERLINGER, F. N., and PEDHAZER, E. J.,
269, 272
KEYFITZ, N., 1-19
KNOKE, D., and HOUT, M., 116, 118,
132, 137, 139
KOOPMANS, T. C., and BECKMAN, M.,
78*n*, 100
KUDER, G. F., and RICHARDSON, M. W.,
251, 253

L

- LABOVITZ, S., 142, 143, 163
LABOVITZ, S., and GIBBS, J. P., 205,
208, 236

- LAROQUE, G., 75*n*
LAZARSFELD, P. F., 182, 183
LEONTIEF, W., 2, 16, 19
LEVINE, J., 101, 111, 115
LIEBERSON, S., 205, 206, 208, 218, 220-
221, 222, 223, 226, 236-237
LINDER, S. B., 76, 100
LITTLE, J. K., 187
LITTLE, R., 116*n*
LORD, F. M., and NOVICK, M. R., 242,
245, 246-247, 248, 250, 251*n*,
253, 255, 256, 258, 266, 267,
272

M

- MCALLISTER, R. J., BUTLER, E. W., and
GOE, S. J., 186, 203
MALINVAUD, E., 79, 81*n*, 100
MARIOLIS, P., 101, 115
MASON, K. O., and others, 116, 117,
118, 130, 132, 139
MAYER, L. S., 142, 143, 145, 146, 147,
163
MAYER, L. S., and ROBINSON, J. A., 141-
163
MEADOWS, D. H., and others, 1-2, 14,
19
MESAROVIC, M., and PESTEL, E., 2, 3, 11,
19
MUELLER, J. H., and SCHUESSLER, K. F.,
205, 208, 273
MUELLER, J. H., SCHUESSLER, K. F., and
COSTNER, H. L., 205, 208, 210,
237
MUTHÉN, B., 52*n*, 57, 74

N

- NELSON, C. R., 21*n*, 50
NEWBOLD, P., and GRANGER, C. W. J., 45
NORMAN, M., 1*n*

P

- PALMORE, E., and HAMMOND, P. E., 255,
272
PARZEN, E., 242, 253
PAVALKO, R. M., and LUTTERMAN, K. B.,
186, 203

- PIELOU, E. C., 205, 209, 237
 PIERCE, A., 40, 50
 PULLUM, T. W., 115-140

Q

- QUINN, R. D., and SHEPARD, L. J., 270,
 273

R

- READER, G. M., 20*n*
 REID, D. J., 45, 50
 RENYI, A., 209, 237
 RESKIN, B. F., 238*n*, 243, 253
 REX, M. A., 205, 206, 237
 ROBINSON, J. A., 146, 153, 155, 156,
 158, 163
 ROBINSON, P. M., 53, 57, 72, 74
 RODRIGUEZ, G., 116*n*
 ROGERS, A., 1*n*, 14, 19
 ROKEACH, M., and KLIEJUNAS, P., 255,
 273
 ROSENBERG, M., 167, 180, 184
 RUDISILL, D., 116*n*, 137, 139
 RYAN, K., 75*n*
 RYDER, N. B., 116*n*, 127, 140

S

- SAGAN, L., 1*n*
 SARGENT, T. D., and OWEN, D. F., 205,
 206, 237
 SCAROWSKY, I., 20*n*
 SCHAEFFER, R. H., 255, 273
 SCHUESSLER, K., 169, 170, 180, 184
 SCHWEITZER, S., and SCHWEITZER,
 D. G., 142, 143, 163
 SEWELL, W. H., 185*n*, 186, 187
 SEWELL, W. H., and HAUSER, R. M., 186,
 188, 203
 SEWELL, W. H., and SHAH, V. P., 186,
 203
 SIKORSKI, R., 102, 115
 SIMPSON, E. H., 205, 206, 212, 218, 223,
 237
 SOMERS, R. H., 164-184
 SONQUIST, J. A., and KOENIG, T., 101,
 113, 115

- SPEARMAN-BROWN formula, 246-247
 SPILERMAN, S., 238, 243, 253
 STAPLETON, D. C., 52-74
 STUART, A., 164*n*
 SWANSON, D. A., 218, 237

T

- THEIL, H., 46*n*, 47, 51
 TUCKER, L. R., and LEWIS, L., 66, 74

V

- VAN BELLE, G., and AHMAD, I., 212,
 218, 237
 VARGO, L. G., 142, 163
 VERBA, S., and NIE, N., 53-54, 74
 VIGDERHOUS, G., 20-51
 VIGDERHOUS, G., and FISHMAN, G., 40,
 51

W

- WALLER, W. W., and HILL, R., 83, 100
 WARNER, W. L., and UNWALLA, D. B.,
 101, 115
 WATERS, L. K., 255, 273
 WEILER, H., 209, 237
 WERTS, C. E., JÖRESKOG, K. G., and
 LINN, R. L., 147, 163, 244, 253
 WHITE, H. C., 75*n*
 WHITE, H. C., BOORMAN, S. A., and
 BREIGER, R. L., 93, 95, 100
 WILLEKENS, F., 1*n*
 WINSBOROUGH, H. H., 185*n*
 WINSHIP, C., 75-100
 WINTERS, P. R., 45, 51
 WONNACOTT, R. J., and WONNACOTT,
 R. H., 47*n*, 51

Y

- YULE, G. U., 181*n*
 YULE, G. U., and KENDALL, M. G., 167,
 168, 181, 182, 184

Z

- ZELLNER, A., 52, 74

SUBJECT INDEX



A

- Acyclic, 90, 97-98
- Age, period, and cohort effects, 116, 122-139
- Allocation of time, 75-100; general equilibrium mechanisms in, 84-88; individual, 80-81; limits on, 82; mathematical appendix, 97-98; model of, 78-90; network models of, 93-97; Pareto optimality and, 76, 78, 88-90; partial equilibrium in, 83-84
- Alternative transparent models, 4-10
- Assessment of models, 3-4
- Association: measures of, 141-162; partial, 154-158, 182
- Attenuation formula, 267-268
- Autocorrelation function (ACF): and diagnostic checks of models, 32-34; formula, 25*n*; and identifying tentative models, 24-31; for suicide rate, 29-31, 42-43; theoretical, 26-27; for unemployment, 35-36, 42-43

- Autoregressive models (AR), 21, 22, 25, 29-30, 45, 49
- Autoregressive-moving-average (ARMA) process, 22, 25, 27, 38

B

- Back-shift operator or B, 22-23, 48
- Balance Theory, 93
- Bariloche group, 2-3, 18
- Bariloche model, 11
- Black box, model as, 4, 10-16, 18
- Block models, 93
- Boolean algebra, 102-114
- Box-Jenkins forecasting techniques, 20-51
- Brower fixed-point theorem, 85*n*

C

- Chi-square test, 32, 65-66, 209, 214-215, 216, 226, 231

Classical test theory, 242, 245, 246, 250-252, 256
 Cluster, 105-106, 109-114
 Coalition, 79, 89
 Cobb-Douglas production function, 11, 254-255
 Cobb-Douglas utility functions, 87
 Cochran's theorem, 231
 Cohort, age, and period effects, 116, 122-139
 Communication process, 95-96
 Complexity, 15-16, 17-18
 Computer, 17-18
 Condorcet's paradox, 92
 Confidence interval, 30
 Contingent relationships, 167
 Correlation, partial, 144, 146, 154-157, 175, 181
 Correlation analysis, 142-146
 Correlation coefficient, 145-146, 147, 148, 151-152, 155, 160
 Correlogram, 25. *See also* Autocorrelation function (ACF)
 Covariance analysis, 169, 170-171, 175, 180, 232-234
 Cross-classification, 116-139, 229
 Cross-correlation, 39*n*, 41-42
 Cross-tabular analysis, 167, 182
 Cyclic, 90-92, 94-95

D

Delinquency rates, 116
 Demand function, 81
 Demographic transition, 8-9
 Diagnostic checks, 24, 32-34, 44-45
 Dichotomized variables, 57, 119, 175-176, 177-180, 182
 Discrepancy, index of, 209-210
 Discrete time series, 21
 Distributed-lag model, 47*n*
 Diversity, 204-235; between groups, 218-222; index of, 206, 220-228; measuring, 206-211
 Dominant variables, 12-16

E

Endogenous variables, 17
 Energy consumption, 16

Equilibrium, 83-84, 88-90, 92-95, 97-98
 Estimation: in forecasting, 24, 31-32, 43-44; least-squares, 31-32, 61-62, 67; maximum-likelihood, 54, 60-71, 72, 118, 120-122, 243*n*
 Estimator, consistent, 145-146, 155
 Estimator of reliability, 239-240, 251, 258-259
 Events, 238-252; errors in counting, 244-246; independent, 250-251
 Exogenous variables, 16-17, 21, 37, 40, 48, 52-57

F

FACTABRATES, 126
 Factor analysis, 142, 150
 Fixed point, 85
 Fletcher-Powell minimization routine, 62
 Forecasting techniques, 20-49; comparison of, 45-47, 48; computing values, 34; diagnostic checks on models, 24, 32-34, 44-45; estimating tentative models, 24, 31-32, 43-44; model identification stage in, 24-30; for suicide rates, 20, 30-32; for unemployment rates, 21, 34-45

G

Gross reproduction rate, 5-6
 Groups, 101-115

H

Hierarchy, 90, 114
 Heterogeneity, 204-235
 Heteroscedasticity, 167
 Holt-Winters forecasting method, 45
 Homomorphisms, 103-108, 113
 Hypothesis-testing, 62-71, 146, 205

I

- Identification, 57-60
- Impulse response function, 41-43
- Index of discrepancy, 209-210
- Index of diversity, 206-235
- Index of qualitative variation, 205, 217, 224
- Indicators: empirical, 53, 55-57; ordinal, 142, 143, 144, 146
- Individuals, overlapping memberships of, 101-114
- Information index, 208-209
- Information matrix, 73
- Inputs to model, 12-14
- Interaction, 12-15, 182
- Interlocking directorates, 101-102, 111, 113
- Interval-level control variable, 164-184
- Interval-level techniques, 142, 143, 145
- Interval response variables, 141, 144
- Interval variables, 141-147, 148, 150, 159, 162, 164-184, 238-252
- Isomorphisms, 104
- Isotone regression, 149

J

- Job satisfaction, 255, 270-271

K

- Kronecker matrix product, 73

L

- Lagrangian analysis, 83n
- Large-sample distribution of monotone coefficient, 156-158
- Large-sample distributions, 153, 228, 229-235
- Latent trait, 239
- Latent variables, 52-53, 55, 57-62
- Leading indicator, 21, 35, 40-45, 47, 48
- Likelihood-ratio test, 62-67, 71
- Limits, 82
- Linear regression, 156
- Linearity, 11, 12-16, 151-152, 166
- Lisrel, 52, 57, 61n, 62, 251
- Longitudinal studies, 185-202

M

- Marriage, model of, 7/-78, 90-93
- Maximum-likelihood estimation (MLE), 54, 60-71, 72, 120-122, 243n
- Measurement errors, 54, 56, 59-60, 63-64, 72, 240, 265-266, 269; in counting events, 244-246
- Membership: analyzing overlapping, 101-114; instead of groups, 108-109
- MIMIC model, 52-74; estimation, 60-62; specification, 53-57; testing, 62-71
- Model building: assessment problem in, 3-4; as black box, 4, 10-16, 18; complexity in, 15-16, 17-18; diagnostic checks in, 24, 32-34, 44-45; estimating tentative models in, 24, 31-32, 43-44, 60-62, 67; experimental decomposition of action of, 12-16; for forecasting, 20-49; simplicity in, 10, 15; testing model in, 62-71, 146, 205; for world system, 1-19
- Momentum principle, 9-10
- Monotone coefficients, 145-157; partial, 155-157, 161, 162; using the, 158-162
- Monotone functions, 148-149, 150
- Monotone regression function, 148, 150-151, 156-158, 160
- Monotone transformations, 142-143, 145, 147, 153
- Moving average, 29
- Moving-average time-series models, 21, 22, 25, 27, 38, 49
- Multiple-indicator multiple-cause models. *See* MIMIC models
- Multiple monotone coefficient, 154-157, 161, 162
- Multiple monotone regression, 156-158, 160

Multiple regression, 164-184, 268
 Multiple regression coefficient, 165-168, 181-183; partitioning of, 168-176
 Multiple regression models, 141-162; extensions to, 153-158
 Multiplicative models, 118-122
 Multivariate analysis, 142-146
 Multivariate diversity between groups, 222, 226-228
 Multivariate index of diversity, 222-228
 Multivariate normal distribution, 165, 166*n*, 181-182
 Multivariate regression model, 58, 71-73

N

Net reproduction rate, 5-6
 Network models, 93-97
 Noise, White, 38-40
 Noise process, 49
 Nominal variables, 182, 204
 Nonparametric procedures, 145
 Normal distribution, 145, 148, 152, 165-166, 181-182, 212-213, 216, 219

O

OPTIMAL/R, 126
 Occupational diversity, 210-211, 213-215, 224-229
 Ordinal indicators, 142, 143, 144, 146
 Ordinal-level techniques, 145
 Ordinal predictor variables, 141-162
 Ordinal variables, 141-147, 148, 150, 159, 161
 Origin-free, 259, 268-269
 Outliers, 33
 Outputs of model, 12
 Overlapping memberships, 101-114; Boolean algebra of, 102-103; homomorphisms in, 105-108, 109, 110; other techniques for analyzing, 109-114

P

Panel studies, 186
 Parallel measures, 255-256, 257
 Pareto optimal, 76, 78, 88-90, 91, 92, 97-98
 Partial association, 154-158, 182
 Partial equilibrium, 83-84, 89-90
 Partial monotone coefficient, 155-157, 161, 162
 Partial relationships, 164-165, 167
 Period, age, and cohort effects, 116, 122-139
 Poisson process, compound, 240-242, 243*n*, 244, 246, 249*n*, 250, 251
 Poisson variates, reliability of, 242-244, 249*n*
 Policy implications of world models, 1-19
 Political participation, 52-73
 Population, in world models, 5-18
 Population diversity, 204-235
 Prewhitening, 38-42
 Principle of least interest, 83-84
 Product variables, reliability of, 254-271
 Products, residual sum of, 169-174, 179

Q

Qualitative variation, statistical analysis of, 204-235

R

Random error term, 142
 Random shock, 22*n*, 49
 Random variables, 144, 145, 148, 211, 239, 240, 254-271
 Reduced-form, 58, 59-60, 67-71
 Regression: within groups, between groups, 171-176, 177-180, 181-183; linear, 156; true, 151-152
 Reliability, 238-252; of Poisson variates, 242-244; of product variables, 254-271

- Reliability coefficient, 66, 258-267, 269-270
- Reproduction rates, 5-7
- Residual matrix, 66
- Residual sums: of products, 169-174, 179; of squares, $35n$, 44, 165, 169-170, 174-175, 179
- Residual variables, 167-176, 181

S

- Sample size, minimum, 152
- Sampling distributions, diversity indexes, 205, 211-215, 218, 229-235
- Scientific productivity, 243-244, 246, 247, 248
- Search procedures, 186-197; non-telephone, 193-196; results, 197-201; by telephone, 186, 189-190, 191-193, 196-197
- Seasonal forecasting, 23, 49
- Simplicity, 10, 15
- Simpson's index of diversity, 205
- Slutzky's theorem, 231
- Smoothing models, 45, 47
- Sociometric graph theory approach, 113
- Spearman-Brown formula, 246-247
- Spurious component, 36
- Squares, residual sum of, $35n$, 44, 165, 169-170, 174-175, 179
- Standardization, 180, 249-250
- Stationary time series, 21-23, 25, 30, 31, 42, 49
- Stochastic process, 21, 22*n*, 25, 38, 246, 248, 250
- Suicide rates, 20-51 autocorrelation function of, 29-31; female and male, 40; forecasting, 20-51; summary of forecasting models of, 45-47; unemployment as leading indicator of, 34-36, 40-45, 47; white male, 28-34, 40, 46
- TEMPO simulation, 10-11
- Three-factor models, 129-134, 135, 138-139
- Time allocation model: among groups, 101-115; among individuals, 75-100
- Time intervals: changing, 246-247; variable, 247-249
- Time series models: autogressive, 21, 22, 25, 27, 29-30, 38, 45, 49; Box-Jenkins technique applied to 21, 30, 48; moving-average, 21, 22, 25, 27, 38, 49; non-stationary, 21, 23, 42; outliers in, 33; seasonal, 23, 49; stationary, 21-23, 25, 30, 31, 42, 49; terminology of, 48-49; univariate, 20-21, 32, 36-38, 39, 45-47, 48
- Tracing respondents, 185-202
- Tracing sources, 193-196
- Transfer function analysis, 36-40, 43-45, 47, 48
- Transparent models, 4-10
- True regression, 151-152
- True score, 242, 250-251, 257, 266*n*
- Truncating the model, 14
- Turning points, 35-36
- Two-factor models, 127-129, 131-134, 135, 138-139

U

- Unemployment rates, 21, 34-36, 40-45, 47; equation for forecasting, 35, 40-41; forecasting, 21, 34-35; as leading indicator of suicide rate, 34-36, 40-45, 47
- Unemployment status, allocation of time and, 76
- U.S. Bureau of the Census, 16, 19
- Univariate time-series models, 20-21, 32, 36-38, 39, 45-47, 48
- Utility, 80, 86-88, 89, 94-95

T

- Telephone search, 186, 189-190, 191-193, 196-197

V

- Variables: dichotomized, 57, 119, 175-176, 177-180, 182; do-

Variables (*continued*)

minant, 12-16; exogenous/
endogenous, 16-17, 21, 37, 40,
48, 52-57; interactions be-
tween, 14-15; interval, 141-
147, 148, 150, 159, 162, 164-
184, 238-252; latent, 52-53,
55, 57-62; nominal, 182, 204;
ordinal, 141-147, 148, 150,
159, 161; ordinal predictor,
141-162; product, 254-271;

qualitative, 204-235; random,
144, 145, 211, 239, 240, 254-
271; reliability of, 238-252,
254-271; residual, 167-176,
181

W

White noise, 32, 38-42, 44

World models, 1-19

